

- to limit iron depletion. *J. Bacteriol.* 158: 496-502.
- Pandey, A. and Kumar, S. (1989) Potential of azotobacters and azospirilla as biofertilizers for upland agriculture : a review. *J. Sci. Ind. Res.* 48: 134-144.
- Pandey, A. and Kumar, S. (1990) Inhibitory effects of *Azotobacter chroococcum* and *Azospirillum brasilense* on a range of rhizo sphere fungi. *Indian J. Expl. Biol.* 28 :52-54.
- Pankhurst, C.E. and Lynch, J.M. (1995) The role of soil microbiology in sustainable intensive agriculture. *Adv. Plant Pathol.* 11: 229-247.
- Pankhurst, C.E., Ophel-Keller, K., Doube, B.M. and Gupta, V.V.S.R. (1995) Biodiversity of soil microbial communities in agricultural systems. *Biodiver. Conserv.* 4: 197-209.
- Papendick, R.I. and Parr, J.F. (1992) Soil quality – the key to a sustainable agriculture. *American J. Altern. Agric.* 7(1-2): 2.
- Paul, E.A. and Robertson, G.P. (1989) Ecology and the agricultural sciences : a false dichotomy?. *Ecology* 70 : 1594-1597.
- Pleban, S., Ingel, F. and Chet, I. (1995) Control of *Rhizoctonia solani* and *Sclerotium rolfsii* in the greenhouse using endophytic *Bacillus* spp. *European J. Plant Pathol.* 101: 665-672.
- Prabhu, S. R. (1993) *Cleodendrum*, a money spinning useful plant. *ILEIA Newsl* 9(3) : 31.
- Premkumar, T. and Daniel, M. (1981) Studies on the control of soil grubs of arecanut palm. *Pesticides* 15: 29-30.
- Ramamoorthy, V., Meena, B., Muthusamy, M. and Seetharaman, K. (2000) Efficiency of composted coir pith made by using different fungi and under different doses on black gram rhizosphere *Trichoderma* population. Symp. *Emerging Trends in Plant Disease Management*, IIHR, Bangalore, 7-8 Dec.2000.
- Ramanujam, B., Nambiar, K.K.N. and Rohini Iyer (1997) Management of stem bleeding disease of coconut with fungicides and a biocontrol agent. *J. Plantation Crops* 25: 175-179.
- Rao, D.L.N. (1997) Biological amelioration of degraded and contaminated soils. In : *Biotechnological Approaches in Soil Microorganisms for Sustainable Crop Production*. (ed. Dadarwal, K.R.), Scientific Publishers, Jodhpur. Pp. 261-275.
- Reddy, M.S., Ryu, C.M., Zhang, S., Yan, Z. and Kloepper, J.W. (2000) Aqueous formulations of plant growth – promoting rhizobacteria for control of foliar diseases. Paper presented at the Fifth International PGPR Workshop held at Cordoba, Argentina, 29 October to 3 November, 2000.
- Reddy, R.N.S. and Prasad, R. (1975) Studies on the mineralization of urea,

- coated and nitrification inhibitors treated urea in soil. *J. Soil Sci.* 26: 304-312.
- Reddy, R.N.S. and Prasad, R. (1977) Effect of variety, rates and sources of nitrogen on growth characteristics, yield components and yield of rice. *IL RISO* 26: 217-224.
- Rioux, C.R., Jordan, D.C. and Rattrang, J.B.M. (1986) *Arch. Biochem. Biophys.* 248: 175.
- Rivera, M.C., Wright, E.R., Lopez, M.V., Guastella, G.S. and Garda, D. (2000) Control of *Rhizoctonia solani* and growth promotion in nurseries of tomato, pepper and eggplants by amendment with vermicompost. Paper presented at the Fifth International PGPR Workshop held at Cordoba, Argentina, 29 October to 3 November, 2000.
- Roncadori, R.W. and Hussey, R.S. (1977) Interaction of the endomycorrhizal fungus *Gigaspora margarita* and root knot nematode on cotton. *Phytopathol.* 67: 1507-1511.
- Russell, E.W. (1977) The role of organic matter in soil fertility. *Phil. Trans. R. Soc. Lond.* B 281: 209-219.
- Saju, K.A., Anandaraj, M. and Sarma, Y.R. (2000) Mass production of *Trichoderma harzianum* in the farm using organic matter. Symp. *Emerging Trends in Plant Disease Management*, IIHR, Bangalore, 7-8 Dec.2000.
- Saxena, B., Modi, M. and Modi, V.V. (1986) Isolation and characterization of siderophore from *Azospirillum lipoferum* D2. *J. Gen. Microbiol.* 132: 2219-2224.
- Schroth, M.N. and Hancock, J.G. (1982) Disease -suppressive soil and root- colonizing bacteria. *Science* 216: 1376-1381.
- Scow, K.M., Somasco, O., Gunapala, N., Lau, S., Venette, R., Ferris, H., Miller, R. and Shennan, C. (1994) Transition from conventional to low-input agriculture changes soil fertility and biology. *Calif. Agric.* 48(5): 20-26.
- Segall, L. (1995) Marketing composts as a pest control product. *BioCycle* 36: 65-67.
- Sekiguchi, A. (1977) Control of Fusarium wilt on Chinese yam. *Ann. Rep. Dep. Plant Pathol. Entomol. Veg Floric. Exp. Stn. Nagano Jpn.* 1: 10-11.
- Shah, S., Karkhanis, V. and Desai, A. (1992) Isolation and characterization of siderophore, with antimicrobial activity from *Azospirillum lipoferum* M. *Curr. Microbiol.* 25: 347-351.
- Shah, S., Rao, K.K. and Desai, A. (1993) Production of catecholate type of siderophores by *Azospirillum lipoferum*. *Indian J. Expl. Biol.* 31:41.

- Shaji, A.K. (2000) Pesticidal compost. *Plant Horti. Tech.* 2(2): 61-62.
- Shannon, J.R. and Unterman, R. (1993) Evaluating bioremediation: distinguishing fact from friction. *Ann. Rev. Microbiol.* 47: 715.
- Siddiqui, M.A. and Alam, M.M. (1988) Studies on the nematotoxicity of root exudates of certain species of *Tagetes*. *Indian J. Nematol.* 18: 335-337.
- Singh, N. and Singh, R.S. (1980) Lysis of *Fusarium oxysporum* f. *udum* caused by soil amended with organic matter. *Indian J. Mycol. Plant Pathol.* 10: 146-150.
- Singh, R.S. and Sitaramaiah, K. (1967) The effect of decomposed green leaves, saw dust and urea on the incidence of root knot of okra and tomato. *Indian Phytopath.* 20: 349-355.
- Singh, T. (1977) Studies on interactions between *Azotobacter chroococcum* and some plant pathogens. Ph.D. Thesis, IARI, New Delhi.
- Sivaprasad, A., Jacob, A., Nair, S.K. and George, B. (1990) Influence of VA mycorrhizal colonization on root-knot nematode infestation in *Piper nigrum* L. In: *Current Trends in Mycorrhizal Research* (eds. Jalali, B.L. and Chand, H.). HAU, Hissar., pp.100-101.
- Smith, M.J., Shoolery, J.N., Schwyn, B., Holden, I. and Neilands, J.B. (1985) Rhizobactin, a structurally novel siderophore from *Rhizobium meliloti*. *J. Am. Chem.Soc.* 107: 1739.
- Smith, G. S., Roncadori, R.W. and Hussey, R.S. (1986) Interaction of endomycorrhizal fungi, superphosphate and *Meloidogyne incognita* on cotton in microplot and field studies. *J. Nematol.* 18: 208-216.
- Sturz, A. V. and Nowak, J. (2000) Endophytic communities of rhizobacteria and strategies required to create yield enhancing associations with crops. *Appl. Soil Ecol.* 15: 183-190.
- Subramanian, S. (1985) Effect of *Eupatorium odoratum* extracts on *Meloidogyne incognita*. *Indian J. Nematol.* 15: 247.
- Suneja, N. and Lakshminarayana, K. (1993) Production of hydroxamate and catechol siderophores by *Azotobacter chroococcum*. *Indian J. Exptl. Biol.* 31: 878-881.
- Suslow, T.V. and Schroth, M.N. (1982) Role of deleterious rhizobacteria as minor pathogens in reducing crop growth. *Phytopathol.* 72: 111-115.
- Thomas, G.V. and Ghai, S.K. (1988) Relative efficiency of different VA mycorrhizal fungi on black pepper. *Proc. Natl. Workshop on Mycorrhizae*, JNU, New Delhi. Pp. 421-430.
- Thomas, G.V., George, M. and Shantaram, M.V. (1993) Effect of growing green manures in the basins of root (wilt) affected coconut palms. In: Nair, M.K, Khan, H.H., Gopalasundaram, P. and Rao, E.V.V. (Eds.) *Advances in Coconut Research and Development*. Oxford and IBH

- Publishing Co. Ltd., New Delhi, pp. 421-422.
- Thomas, George, V. (1988) Vesicular-arbuscular mycorrhizal symbiosis in coconut in relation to root (wilt)disease and intercropping or mixed cropping. *Indian J. Agric. Sci.* 57: 145-147.
- Thomas, George, V., Sundararaju, P., Ali, S.S. and Ghai, S.K. (1989) Individual and interactive effects of VA mycorrhizal fungi and root-knot nematode, *Meloidogyne incognita* on cardamom. *Trop. Agric.* 66: 21-24.
- Tilak, K.V.B.R. (1990) Interaction of VA mycorrhizae with beneficial soil microorganisms. In: *Current Trends in Mycorrhizal Research* (Eds. Jalali, B.L. and Chand, H.). HAU, Hissar. Pp. 87-90.
- Tuzun, S. and Klopper, J.W. (1994) Induced systemic resistance by plant growth-promoting rhizobacteria. In: Ryder, M.H. et al. (eds.) *Improving Systemic Resistance by Plant Growth-Promoting Rhizobacteria*. CSIRO, Australia. pp. 104-109.
- Van Bruggen, A.H.C. (1995) Plant disease severity in high-input compared to reduced-input and organic farming systems. *Plant Dis.* 79: 976-984.
- Van Bruggen, A.H.C. and Semenov, A.M.. (2000) In search of biological indicators for soil health and disease suppression. *Appl. Soil Ecol.* 15: 13-24.
- Van Loon, L.C. (1997) Induced resistance in plants and the role of pathogenesis-related proteins. *European J. Plant Pathol.* 103: 753-765.
- Van Loon, L.C., Bakker, P.A.H.M. and Pieterse, C.M.J. (1998) Systemic resistance induced by rhizosphere bacteria. *Ann. Rev. Phytopathol.* 36: 453-483.
- Van Vuurde, J.W.L. and de Lange, A. (1978) The rhizosphere microflora of wheat grown under controlled conditions. II. Influence of the stage of growth of the plant, soil fertility and leaf treatment with urea on the rhizosphere microflora. *Plant Soil* 50: 461-472.
- Vimal, O.P. and Talashilkar, S. (1983) Recycling of wastes in agriculture: looking ahead to 2000 AD. *J. Sci. Ind. Res.* 42: 115-127.
- Waalwijk, C., Dulleman, A. and Maat, C. (1991) Construction of a bioinsecticidal rhizosphere isolate of *Pseudomonas fluorescens*. *FEMS Microbiol. Lett.* 77: 257-264.
- Weller and Thomashow, L.S. (1993) Use of rhizobacteria for biocontrol. *Curr Opin. Biotechnol.* 4: 306-311.
- Workneh, F., Van Bruggen, A.H.C., Drinkwater, L.E. and Shennan, C. (1993) Variables associated corky root and phytophthora root rot of tomatoes in organic and conventional farms. *Phytopathol.* 83: 581-

589.

- Workneh, F. and Van Bruggen, A.H.C. (1994) Microbial density, composition and diversity in organically and conventionally managed rhizosphere soil in relation to suppression of corky root of tomatoes. *Appl. Soil. Ecol.* 1: 219-230.
- Yuen, G.Y. and Raabe, R.D. (1979) Eradication of fungal plant pathogens by aerobic composting. *Phytopathol.* 69: 922.
- Zambolin, L. and Schenck, N.C. (1983) Reduction of the effects of pathogenic root infecting fungi on soybean by the mycorrhizal fungus *Glomus mosseae*. *Phytopathol.* 73: 1402-1405.
- Zehnder, G., Kloepper, J.W., Yao, C. and Wei, G. (1997) Induction of systemic resistance in cucumber against cucumber beetles (Coleoptera: Chrysomelidae) by plant growth-promoting rhizobacteria. *J. Econ. Entomol.* 90: 391-396.
- Zehnder, G.W., Yao, C., Murphy, J.F., Sikora, E.R. and Kloepper, J.W. (2000) Induction of resistance in tomato against cucumber mosaic cucumovirus by plant growth promoting rhizobacteria. *Biocontrol* 45: 127-137.

XXXX—XXX

Authors**George V.Thomas and S.R.Prabhu**

*Microbiology Section,
Central Plantation Crops Research Institute
Indian Council of Agricultural Research
Kasaragod 671 124, Kerala*